

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/888146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:15
S2	1	10/853375 and (memory or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:36
S3	1	10/853375 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 17:38
S4	1	10/690344	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:06
S5	31151	707/3 or 707/6 or 707/5 or 707/10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:13
S6	2155	S5 and ((extract\$3 or retriev\$3) same rules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:13
S7	322	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S8	103	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14

S9	1	S5 and ((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S10	8	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:14
S11	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S12	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold near6 distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S13	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:15
S14	0	((extract\$3 or retriev\$3) same rules) and (user near2 preferences) and (user near2 actions) and (user near2 preferences near2 models) and (threshold with score)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16
S15	0	10/853375 and (distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16
S16	1	10/853375 and (threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:16

S17	13	S8 and (index\$3 same features same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:18
S18	2	"7283992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 18:18
S19	0	11/340022 and (frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:41
S20	1	11/340022 and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:41
S21	275	(public near2 project)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:52
S22	16	S21 and (collaboration with project)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:52
S23	6	S21 and (collaboration with project) and (feedback)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S24	0	S21 and (collaboration with project) and (feedback) and (commends)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S25	6	S21 and (collaboration with project) and (feedback) and (comments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53

S26	0	S25 and (team near2 members)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S27	0	S25 and (team with members)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S28	0	S25 and (workgroup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S29	0	S25 and (workgroups)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:53
S30	198	(public near2 comments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:54
S31	25	(public near2 comments) and (public near2 project)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:54
S32	20	S31 and (access with rights)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:54
S33	20	S31 and (access with rights) and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:54
S34	1	S31 and (access with rights) and authentication and (project with members)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:55

S35	4697	707/9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:55
S36	24	707/9 and (workgroups)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:55
S37	8	707/9 and (workgroups) and (collaboration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:55
S38	0	S37 and (customiz\$3 with website)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S39	0	S37 and (customiz\$3 same website)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S40	0	S37 and (customiz\$3 same site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S41	8445	(customiz\$3 same site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S42	1001	(customiz\$3 same site) and (comments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S43	216	(customiz\$3 same site) and (comments) and (projects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56

S44	0	(customiz\$3 same site) and (comments) and (projects) and (color near2 adjustments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:56
S45	0	(customiz\$3 same site) and (comments) and (projects) and (color near2 controls)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:57
S46	0	(customiz\$3 same site) and (comments) and (projects) and (color with adjustments)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:57
S47	149	(customiz\$3 same site) and (comments) and (projects) and (color)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:57
S48	0	(customiz\$3 same site) and (comments) and (projects) and (color) and (web near2 confereing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:57
S49	1	(customiz\$3 same site) and (comments) and (projects) and (color) and (web near2 conferencing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/27 16:57
S50	2	11/244021	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 09:48
S51	1	11/301974	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 11:59
S52	2	11/244021 and without	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 12:09

S53	2	11/244021 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 12:19
S54	145	(redefin\$3 with query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:40
S55	9	(redefin\$3 with query). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:42
S56	8	(redefin\$3 with query).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:42
S57	1	11/238409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:33
S58	1	11/356369	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:34
S59	0	(maxium near2 timestamp)*clm."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:45
S60	1	11/301974 and (max\$ with timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:46
S61	1	"7184917".pn. and (timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:57

S62	78796	IBM and objects	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:57
S63	33	IBM and objects and (resource with timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:57
S64	7	IBM and objects and (resource with timestamp). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:58
S65	5	IBM and objects and (resource with timestamp). clm. and (match\$3 or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 09:58
S66	1	11/301974	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:04
S67	164	S62 and tale	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:28
S68	0	S62 and tale and (timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:28
S69	3	S62 and tale and (timestamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:28
S70	493	S62 and ((compar\$3 or match\$3) same timestamp \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:38

S71	184	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:39
S72	125	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:39
S73	0	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and (cached near2 resource)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:40
S74	105	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:40
S75	72	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and resources and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:40
S76	0	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and resources and copy and (timestamp same index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:41
S77	0	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and resources and copy and (timestamp same index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:41
S78	20	S62 and ((compar\$3 or match\$3) same timestamp \$1) and (updat\$ with object\$1) and (index\$3) and resources and copy and (timestamp same index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 10:41

S79	0	11/003611 and (user-specified near2 XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:55
S80	0	11/003611 and (user-specified with XML with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:56
S81	0	11/003611 and (user-defined with XML with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:56
S82	0	11/003611	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:56
S83	8	"20030140308" or "20030208498" or "20050091183"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 11:57
S84	7	"7406478".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:11
S85	4	S83 and (user-defined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:24
S86	188	(user\$3 with (creat\$3 with XML with schema))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:26
S87	84	(user\$3 with (creat\$3 with XML with schema)) and (user near2 define\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:26

S88	79	(user\$3 with (creat\$3 with XML with schema)) and (user near2 define\$2) and (XML near2 schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:27
S89	17	(user\$3 with (creat\$3 with XML with schema)) and (user near2 define\$2) and (XML near2 schema) and rows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 12:27
S90	5	"20020147747" or "20030115187"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:12
S91	3	S90 and tags	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:13
S92	1	10/378050 and (structure with tags)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:28
S93	0	10/378050 and (query with tags)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:30
S94	1	10/378050 and (tags)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 13:30
S95	188	IBM and (creat\$3 same models same algorithms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:15
S96	100	IBM and (creat\$3 same models same algorithms) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:15

S97	22	IBM and (creat\$3 same models same algorithms) and server and mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:16
S98	9	(creat\$3 same models same algorithms) and server and mining and (parallel same generat\$3 same models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:20
S99	83	(creat\$3 same models same algorithms) and server and mining and (generat\$3 same models)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:20
S100	722	(meshes with objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:41
S101	74	display\$3 same (meshes with objects)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S102	2	S87 and (objects same identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S103	19	S87 and (identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S104	19	S87 and (identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:42
S105	1	S104 and (dimensional or multidimension\$5 or cube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:43

S106	6	(display\$3 same (meshes with objects)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 14:44
S107	0	10/888146 and (storage near2 medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 22:52
S108	1	10/888146 and (media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 22:52
S109	0	11/003611 and (storage near2 medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 22:52
S110	0	11/003611 and (media or medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 22:52
S111	0	11/003611	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/29 22:52
S112	25	10/259278 and (object near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:05
S113	18	10/259278 and (object near2 types)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:05
S114	1	10/259278 and (receiv\$3 with (object near2 types))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:05

S115	2	"20030140308" and (stor\$3 with (metadata or attributes))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 11:12
S116	2	"20030140308" and resource	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:03
S117	2	"20030140308" and resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:03
S118	3	"20030140308" and documents	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:03
S119	3	"20030140308" and document\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 12:04
S120	3	"20030208498"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:40
S121	2	"20050091183"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:41
S122	1	"20050091183" and resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:41
S123	510004	"20050091231" an resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:44

S124	1	"20050091231" and resource\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:44
S125	1	"20050091231" and resource\$1 and column	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 13:48
S126	3	"20030208498"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 15:44
S127	0	"20030208498" and UDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 15:45
S128	0	"20030208498" and UDTs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 15:45
S129	13	UDT same resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:28
S130	0	S129 and (conform\$3 with (XML near2 schema))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:29
S131	586	(conform\$3 with (XML near2 schema))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:29
S132	28	(conform\$3 with (XML near2 schema)) and (metadata with resources)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:29

S133	0	(conform\$3 with (XML near2 schema)) and (metadata with resources) and UDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:29
S134	22	(conform\$3 with (XML near2 schema)) and (metadata with resources) and (user near2 defined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 16:29
S135	3	"20030140308" and (medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 17:56
S136	13250	707/100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 18:01
S137	22	S136 and (XML near2 schema) and UDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 18:01
S138	44	(XML near2 schema) and UDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 18:01
S139	12	(XML near2 schema) same UDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 18:01
S140	1	10/899573	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:19
S141	26391	707/100 or 707/101 or 707/102 or 715/234 or 715/232	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:24

S142	0	S141 and (XForms near2 model near2 document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:24
S143	3	(XForms near2 model near2 document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:24
S144	6	S141 and (XForms near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:25
S145	39	(XForms near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:25
S146	14	(XForms near2 model) and (DOM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:25
S147	5	(XForms near2 model) and (DOM) and annotation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:26
S148	0	(XForms near2 model) and (DOM) and annotation.cfm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:26
S149	7	(XForms near2 model) and (DOM).cfm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:26
S150	0	(XForms near2 model).cfm. and (DOM).cfm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:26

S151	5	(XForms near2 model). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:27
S152	3	(XForms near2 application).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:27
S153	2	(XForms near2 application) and S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:28
S154	352	XML same (insert\$3 with elements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:29
S155	0	XML same (insert\$3 with elements) and (XForms with (model or application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:29
S156	2	XML same (insert\$3 with elements) and (XForms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:29
S157	2	(insert\$3 near4 serialization near2 instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:30
S158	2	(insert\$3 near4 serialization near2 instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:30
S159	3	(insert\$3 with serialization with instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:30

S160	1	(XML or HTML) and (insert \$3 with serialization with instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:32
S161	5	(XML or HTML) and (insert \$3 with serializ\$ with instructions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:33
S162	0	(XML or HTML) and (insert \$3 with serializ\$ with instructions) and XForms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:33
S163	0	(insert\$3 with serializ\$ with instructions) and XForms	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:33
S164	2	(document near2 object near2 modeling near2 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:34
S165	15731	DOM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:34
S166	8	S165 and (models with XForms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:35
S167	3	S165 and (models with XForms) and (runtime with DOM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:35
S168	2	(creat\$3 or generat\$3) with DOM with (insert\$3 near5 elements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:36

S169	1	(creat\$3 or generat\$3) near5 DOM near6 (insert \$3 near5 elements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:36
S170	548	(DOM same tree) same elements	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:37
S171	75	S170 and (insert\$3 with elements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:37
S172	1	10/899573 and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:38
S173	1	10/899573 and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 13:47
S174	1	11/340022	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 15:36
S175	1	11/025289	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 16:03
S176	4	"6269340".pn. or "6203528".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 16:49
S177	13881	(705/2 or 705/3 or 705/1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 17:00

S178	0	S177 and (clinical near2 assessment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/31 17:01
S179	1	11/356369 and (lowest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:05
S180	825	(lowest near2 (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:06
S181	34	(lowest near2 (ID or identifier)) same search	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:06
S182	79	S180 and (allocat\$ with (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:09
S183	75	S180 and (assigned with (((lowest or smaller)) near2 ID)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:11
S184	136	707/100 and (add near2 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:15
S185	10868	707/100 and (add\$3 or insert\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:16
S186	1367	707/100 and ((add\$3 or insert\$) same tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:16

S187	200	707/100 and ((add\$3 or insert\$) same tree) and (assign\$3 with (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:16
S188	62	707/100 and ((add\$3 or insert\$) same tree) and (assign\$3 with (ID or identifier)) and (search\$3 with (ID\$1 or identifier \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/01 18:17
S189	1	10/690344 and (communications near2 tool near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 09:08
S190	1	10/690344 and (communications near2 tools near2 module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 09:15
S191	2846836	(search\$3 same (identification near2 number\$1) or (ID\$1 or identifiers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 10:02
S192	58500	((search\$3 same ((identification near2 number\$1) or (ID\$1 or identifiers)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 10:03
S193	10952	S192 and (assign\$3 with ((identification near2 number\$1) or (ID\$1 or identifiers)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 10:03
S194	110	S193 and ((insert\$3 with (entry or record or node or object)) same tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 10:04
S195	0	11/356369 and (search\$3 near2 (identification near2 numbers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 11:13

S196	108	(search\$3 near2 (identification near2 numbers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 11:13
S197	35	(search\$3 near2 (identification near2 numbers)) and (assign\$3 with (identification near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 11:13
S198	2	"6230212".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 22:54
S199	2	"6230212".pn. and search \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/02 22:55
S200	1	11/025289	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:26
S201	2	"6654795".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:29
S202	4009	(usage near2 levels)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:41
S203	5	(usage near2 levels) with (storage near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:41
S204	0	(usage near2 levels) with (storage near2 devices) and (packets same (usage near2 levels))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:43

S205	7	(packets same (usage near2 levels))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:43
S206	1606	(indexing near2 systems)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:44
S207	313	(indexing near2 systems) and (storage near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:44
S208	0	(indexing near2 systems) and (storage near2 devices) and (tracked near2 usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:45
S209	18	(indexing near2 systems) and (storage near2 devices) and (track\$3 with usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:45
S210	0	(indexing near2 systems) and (storage near2 devices) and (track\$3 with usage) and (change with connections)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:45
S211	0	(indexing near2 systems) and (storage near2 devices) and (track\$3 with usage) and (chang\$3 near4 connections)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 08:45
S212	2	"6230212".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:34
S213	1	"6230212".pn. and (objects with (file near2 system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 09:34

S214	2	"6230212".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 12:22
S215	2	"6230212".pn. and search \$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 12:22
S216	5	(search\$3 with (lowest near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 12:45
S217	0	(search\$3 with (smakker near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 12:45
S218	6	(search\$3 with (smaller near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 12:46
S219	2	"6714947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:03
S220	35164	(search\$3 with (identifier or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:34
S221	8	(search\$3 with (identifier or ID)) and ((allocat\$3 or assign\$3) with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:34
S222	2	"6101512".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:37

S223	179	(search\$3 same identifiers same (determin\$3 near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:44
S224	60	(search\$3 same identifiers same (determin\$3 near2 identifier)) and (assign\$3 with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:45
S225	86	(search\$3 same IDs same (determin\$3 near5 ID)) and (assign\$3 with ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:49
S226	16	(determ\$3 with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:51
S227	7	(match\$3 with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:51
S228	32	(compar\$3 with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:54
S229	6	(compar\$3 with (lowest near2 ID)) and (assigned with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:54
S230	0	(compar\$3 with (lowest near2 identifier)) and (assigned with (lowest near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:55
S231	1	(compar\$3 with (lowest near2 identifier)) and (assign\$ with (lowest near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:55

S232	0	(determ\$3 with (lowest near2 identifier)) and (assign\$ with (lowest near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:56
S233	4	(determin\$3 with (lowest near4 identifier)) and (assign\$ with (lowest near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:56
S234	9	(determin\$3 with (lowest near2 ID)) and (assign\$ with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:56
S235	16	"707"/\$.cds. and (assign\$ with (lowest near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 15:57
S236	3428	"707"/\$.cds. and (determin\$3 with (ID or identifier)) and((allocat\$3 or assign\$3) with (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:02
S237	3428	"707"/\$.cds. and (determin\$3 with (ID or identifier)) and((allocat\$3 or assign\$3) with (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:03
S238	3428	"707"/\$.cds. and (determin\$3 with (ID or identifier)) and ((allocat\$3 or assign\$3) with (ID or identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:03
S239	49	"707"/\$.cds. and (determin\$3 with (ID or identifier)) and ((allocat\$3 or assign\$3) with (ID or identifier)) and (tree near2 diagram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:03
S240	100	"707"/\$.cds. and ((creat \$3 or form\$3) with (tree near2 diagram))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:17

S241	3	("707"/\$.cds. and ((creat\$3 or form\$3) with (tree near2 diagram)) and (assign\$3 with (identifiers or ID\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:17
S242	42	(search\$3 with (free near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:21
S243	0	(search\$3 with (available near2 ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:23
S244	0	(search\$3 with (available near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:23
S245	75	(search\$3 with (available near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:23
S246	33	(search\$3 with (available near2 identifier)) and (assign\$3 with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:24
S247	6	(search\$3 with (free near2 identifier)) and (assign\$3 with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:26
S248	31	(creat\$3 with (hierarchy near2 diagram))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:27
S249	4	(creat\$3 with (hierarchy near2 diagram)) and (identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:27

S250	20858	"707"/\$.ccls. and (tree or hierarchy) and diagram	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:28
S251	237	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 with diagram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:28
S252	0	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 with identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:29
S253	0	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 same identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:29
S254	1378	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 same identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:29
S255	854	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 with identifiers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:29
S256	5	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 with identifiers) and (lowest near2 identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:29
S257	150	"707"/\$.ccls. and (tree or hierarchy) and (assign\$3 with identifiers) and (match\$3 with identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:33
S258	22	"707"/\$.ccls. and (tree or hierarchy) and ((assign\$3 with identifiers) same (match\$3 with identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:33

S259	165	(assign\$3 with (available near2 identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:46
S260	13	(assign\$3 with (available near2 identifier)) and (tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:46
S261	7	(assign\$3 with (available near2 identifier)) and (tree) and identifiers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:46
S262	18	"707"/\$.cds. and (tree or hierarchy) and (assign\$3 with identifier) and (lowest near2 identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:49
S263	46	"707"/\$.cds. and (search \$3 with (available near2 (ID or identifier)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 16:52
S264	2	"5802357".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 17:35
S265	14522	"707"/\$.cds. and (tree or hierarchy) and d (lowest near2 identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 17:41
S266	31	"707"/\$.cds. and (tree or hierarchy) and (lowest near2 identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 17:41
S267	1	11/356369	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 17:51

S268	1	11/356369 and lower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 17:53
S269	4	10/238884	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/03 18:10

11/ 4/ 2008 3:34:20 PM

C:\Documents and Settings\CTruong\My Documents\EAST\Workspaces\11356369b.wsp